Section	Item	Definition	Data Format	XML	Occurs	Examples & Notes
Container Elements						
File Header				iati-organisations	1..1	
	IATI version	The version of the IATI Standard that has been used to compile this file. If omitted the current version is assumed.	Decimal	iati-organisations/ @version	0..1	<iati-organisations version="1.00">
	generated-datetime	The date and time this file was generated.	DateTime	iati-organisations/ @generated-datetime	0..1	<iati-organisations generated-datetime="2010-10-27T18:00:00">
Record Header				iati-organisation	1..*	
	last-updated-datetime	The date and time this record was last updated.	DateTime	iati-organisation/@last-updated-datetime	0..1	<iati-organisation last-updated-datetime="2010-10-27T18:00:00">
	default language	This field allows a default language for an entire organisation report. In most cases all the activity information will be provided in the same language. If this omitted it is necessary to specify the language used in all text fields throughout this record. The ISO 639-1 language code.	Language Cod	iati-organisation/ @xml: lang	0..1	<iati-organisation xml:lang="en">
	default-currency	The default currency for an entire organisation report. In most cases, all financial figures will be provided using the same currency. If omitted it is necessary to specify a currency for each reported monetary value. The ISO 4217 code.	Currency Cod	iati-organisation/ @default-currency	0..1	<iati-organisation default-currency=" USD">
Identification						
Reporting Organisation		The name and unique identifier of the organisation publishing the information.		reporting-org	1..1	
	identifier	A unique identifier for the organisation	Organisation I	reporting-org/@ref	1..1	<reporting-org ref="GB-1"/>
	type	Type of organisation (government, multilateral, private, PPP, NGO, foundation, etc)	Organisation T	reporting-org/@type	0..1	<reporting-org ref="GB-1" type = Government"/>
	name	The name of the organisation		reporting-org/text()	0..1	<reporting-org>Department for International Development</reporting-org>
	language	ISO 639-1 code for language of the name. [Only if different to default language.]	Language Cod	reporting-org/@xml:lang	0..1	<reporting-org xml:lang="fr" >Departement pour le developpement international</reporting-org>
Organisation Identifier				iati-identifier	1..1	
	organisation identifier	A unique identifier for the organisation.	Organisation I	iati-identifier/text()	1..1	<iati-identifier>GB-1</iati-identifier>
Organisation name		The human-readable name of the organisation. May be repeated in different languages for reporting organisations with multilingual requirements.		name	0..*	
	language	ISO 639-1 code for the language of the name (only if different from the default language).	Language Cod	name/@xml:lang	0..1	<name xml:lang="fr">Departement pour le developpement international</name>
	name	The name of the organisation	Text	name/text()	1..1	<name>Department for International Development</name>
Budgets						
Annual forward planning budget data for organisation		The total development budget for each of the next three years (or most detailed available) on a rolling basis. For donor agencies as submitted to parliament; for foundations or multilaterals as submitted to the board.		total-budget	0..*	
	period-start			total-budget/period-start	1..1	
	period-start-date	ISO 8601 code for the start date of the reporting year (yyyy-mm-dd).	Date	total-budget/period-start/@iso-date	1..1	<period-start iso-date="2010-01-01"/>
	period-start-text	A free text description of the period start	Text	total-budget/period-start/text()	0..1	<period-start iso-date="2010-01-01" >January 2010</period-start>
	period-end			total-budget/period-end	1..1	
	period-end-date	ISO 8601 code for the end date of the reporting year (yyyy-mm-dd).	Date	total-budget/period-end/@iso-date	1..1	<period-end iso-date="2010-12-31"/>
	period-end-text	A free text description of the period end	Text	total-budget/period-end/text()	0..1	<period-end iso-date="2010-12-31" >December 2010</period-end>
	value			total-budget/value	1..1	

	currency	The ISO 4217 code for the currency in which the project is denominated. [only if different to default currency]	Currency Cod	total-budget/value/@currency	0..1	<value currency="GBP" value-date="2010-01-01">7000000000</value>
	value-date	Date of value for currency conversions.(yyyy-mm-dd)	Date	total-budget/value/@value-date	1..1	<value value-date="2010-01-01">7000000000</value>
	value	The total budget for the specified year in the specified currency. (Positive integer.)	Integer	total-budget/value/text()	1..1	<value value-date="2010-01-01">7000000000</value>
Annual forward planning budget data for funded institutions		The budget for each of the next three years (or most detailed available) on a rolling basis for each institution (i.e. multilateral organisations, INGOs, foundations and others) that receives core funding from the donor.		recipient-org-budget	0..*	
	recipient-organisation			recipient-org-budget/recipient-org	1..1	
	recipient-identifier	A unique identifier for the institution receiving the funds.	Organisation I	recipient-org-budget/recipient-org/@ref	0..1	<recipient-org ref="44000"/>
	language	ISO 639-1 code for the language of the recipient name (only if different from the default language).	Language Cod	recipient-org-budget/recipient-org/@xml:lang	0..1	<recipient-org ref="44000" xml:lang="fr">Banque Mondiale</recipient-org>
	recipient-name	The name of the institution receiving the funds.	Text	recipient-org-budget/recipient-org/text()	0..1	<recipient-org ref="44000">World Bank</recipient-org>
	period-start			recipient-org-budget/period-start	1..1	
	period-start-date	ISO 8601 code for the start date of the reporting year (yyyy-mm-dd).	Date	recipient-org-budget/period-start/@iso-date	1..1	<period-start iso-date="2010-01-01"/>
	period-start-text	A free text description of the period start	Text	recipient-org-budget/period-start/text()	0..1	<period-start iso-date="2010-01-01" />January 2010<period-start>
	period-end			recipient-org-budget/period-end	1..1	
	period-end-date	ISO 8601 code for the end date of the reporting year (yyyy-mm-dd).	Date	recipient-org-budget/period-end/@iso-date	1..1	<period-end iso-date="2010-12-31"/>
	period-end-text	A free text description of the period end	Text	recipient-org-budget/period-end/text()	0..1	<period-end iso-date="2010-12-31">December 2010</period-end>
	value			recipient-org-budget/value	1..1	
	currency	The ISO 4217 code for the currency in which the project is denominated. [only if different to default currency]	Currency Cod	recipient-org-budget/value/@currency	0..1	<value currency="USD" value-date="2010-01-01">500000000</value>
	value-date	Date of value for currency conversions.(yyyy-mm-dd)	Date	recipient-org-budget/value/@value-date	1..1	<value currency="USD" value-date="2010-01-01">500000000</value>
	value	The total budget for the specified year in the specified currency. (Positive integer.)	Integer	recipient-org-budget/value/text()	1..1	<value value-date="2010-01-01">500000000</value>
Annual forward planning budget data for country		The budget for assistance to each recipient for each of the next three to five years (or most detailed available) on a rolling basis, using the recipient's financial year.		recipient-country-budget	0..*	
	recipient-country			recipient-country-budget/recipient-country	1..1	
	recipient country code	ISO 3166 country code	Country Code	recipient-country-budget/recipient-country/@code	1..1	<recipient-country code="CG"/>
	language	The ISO 639-1 code for the language of the name. [Only if different to default language.]	Language Cod	recipient-country-budget/recipient-country/@xml:lang	0..1	<recipient-country code="CG" xml:lang="fr">République Démocratique du Congo</recipient-org>
	recipient country name	Name of the country.	Text	recipient-country-budget/recipient-country/text()	0..1	<recipient-country code="CG">Democratic Republic of Congo</recipient-org>
	period-start			recipient-country-budget/period-start	1..1	
	period-start-date	ISO 8601 code for the start date of the reporting year (yyyy-mm-dd).	Date	recipient-country-budget/period-start/@iso-date	1..1	<period-start iso-date="2010-01-01"/>
	period-start-text	A free text description of the period start	Text	recipient-country-budget/period-start/text()	0..1	<period-start iso-date="2010-01-01">January 2010</period-start>
	period-end			recipient-country-budget/period-end	1..1	

	period-end-date	ISO 8601 code for the end date of the reporting year (yyyy-mm-dd).	Date	recipient-country-budget/period-end/@iso-date	1..1	<period-end iso-date="2010-12-31"/>
	period-end-text	A free text description of the period end	Text	recipient-country-budget/period-end/text()	0..1	<period-end iso-date="2010-12-31" >December 2010</period-end>
	value			recipient-country-budget/value	1..1	
	currency	The ISO 4217 code for the currency in which the project is denominated. [only if different to default currency]	Currency Cod	recipient-country-budget/value/@currency	0..1	<value currency="USD" value-date=" 2010-01-01">50000000</value>
	value- date	Date of value for currency conversions.(yyyy-mm-dd)	Date	recipient-country-budget/value/@value-date	1..1	<value currency="USD" value-date=" 2010-01-01">50000000</value>
	value	The total budget for the specified year in the specified currency. (Positive integer.)	Integer	recipient-country-budget/value/text()	1..1	<value currency="USD" value-date=" 2010-01-01">50000000</value>
Documents						
Organisation Documents		Information pertaining to a published document that is related to an organisation		document-link	0..*	
	url	The web address where the document can be downloaded.	u.r.l.	document-link/@url	1..1	<document-link url="http://rep. org/docs/xx546.doc">
	document format	The Internet Media Type ("MIME type") of the document linked to, as defined and maintained by the Internet Assigned Numbers Authority.	File Format Co	document-link/@format	0..1	<document-link format=" application/msword">
	document language			document-link/language	0..*	
	language	The ISO 639 code for the language of the document. Only required if different from the organisation's default language.	Language Cod	document-link/language/text()	0..1	<language>en</language>
	category	The type of content contained within the document. If the document spans multiple content types this element should be repeated.		document-link/category	1..*	
	category-code	The code for the content type	Document Cat	document-link/category/@code	1..1	<category code="B02"/>
	language	The ISO 639-1 code for the language of the category description. [Only if different to default language.]	Language Cod	document-link/category/@xml:lang	0..1	<category code="B02" xml:lang="en" >Strategy Paper</category>
	category-description	A description of the content type	Text	document-link/category/text()	0..1	<category code="B02">Strategy Paper</category>
	title			document-link/title	1..*	
	language	The ISO 639 code for the language of the title. Only required if different from the organisation' s default language.	Language Cod	document-link/title/@xml: lang	0..1	<title xml:lang="en">White Paper on Aid</title>
	title	The full title of the document	Text	document-link/title/text()	1..1	<title>White Paper on Aid</title>